




STANDARD RING



1




2




3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	STD	0,5÷2	0,5	M2	15,8	7	CuZn-Sn	1702951	8000	REEL
	STD	0,5÷2	0,5	M3	15,8	7	CuZn-Sn	1702950	8000	REEL
2	STD	1÷2	0,6	M4	22,7	10	CuZn	1902970	5000	BOX
	STD	1÷2	0,6	M4	22,7	10	CuZn-Sn	1702970	5000	REEL
	STD	1÷2	0,6	M5	22,7	10	CuZn	1902980	5000	BOX
	STD	1÷2	0,6	M5	22,7	10	CuZn-Sn	1702980	5000	REEL
	STD	1÷2	0,6	M6	22,7	10	CuZn	1902981	5000	BOX
3	STD	1÷2	0,6	M6	22,7	10	CuZn-Sn	1702981	5000	REEL
	STD	25÷40	1,5	M6	37	14	CuZn-Sn	1609000	2000	BOX

GROUND 188




1




2

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	GND 188 TW25	2,5÷4	0,8	M8	37,5	13,2	CuZn-Sn	1708150	4800	REEL
2	GND 188 G45	2,5÷6	0,8	M5	28	13	CuZn-Sn	1708160	4800	REEL

GROUND




1




2

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	GND	0,5÷15	0,6	M5	28,5	11	CuZn-Sn	1706740	4000	REEL
	GND FLY	0,5÷15	0,6	M5	28,5	11	CuZn-Sn	1706741	4000	REEL
2	GND	1÷2,5	0,8	M6	32	14	CuZn-Sn	1706720	2000	REEL
	GND	4÷6	0,8	M6	32	14	CuZn-Sn	1706700	1500	REEL
	GND	8÷10	0,8	M6	32	14	CuZn-Sn	1706750	1000	REEL
	GND	1÷2,5	0,8	M8	32	14	CuZn-Sn	1706730	2000	REEL
	GND	4÷6	0,8	M8	32	14	CuZn-Sn	1706710	1500	REEL
	GND	8÷10	0,8	M8	32	14	CuZn-Sn	1706760	1000	REEL
	GND FLY	1÷2,5	0,8	M6	32	14	CuZn-Sn	1706721	2000	REEL
	GND FLY	3÷6	0,8	M6	32	14	CuZn-Sn	1706701	2000	REEL
	GND FLY	1÷2,5	0,8	M8	32	14	CuZn-Sn	1706731	2000	REEL
	GND FLY	3÷6	0,8	M8	32	14	CuZn-Sn	1706711	2000	REEL

CBA




1




2

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	CBA FL 90	10÷20	1,5	M8	35	16	CuZn-Sn	1608170	500	BOX
	CBA FL 90	10÷20	1,5	M8	35	16	CuZn-Sn	1708170	1500	REEL
	CBA FL 90	25÷35	1,5	M6	35	16	CuZn-Sn	1604300	1500	BOX
	CBA FL 90	25÷35	1,5	M8	35	16	CuZn-Sn	1608210	1500	BOX
	CBA FL 90	25÷35	1,5	M8	35	16	CuZn-Sn	1708210	1600	REEL
	CBA FL 90	50÷70	1,8	M8	35	16	CuZn-Sn	1708230	900	REEL
2	CBA SX FL90	20÷35	1,8	M6	35	16	CuZn-Sn	1708325	700	REEL
	CBA SX FL90	25÷35	1,8	M8	35	16	CuZn-Sn	1708320	700	REEL
	CBA SX FL90	20÷40	1,8	M8	35	16	CuZn-Sn	1608321	1000	BOX
	CBA SX FL90	50÷70	1,8	M6	35	16	CuZn-Sn	1708315	900	REEL
	CBA SX FL90	50÷70	1,8	M8	35	16	CuZn-Sn	1708310	900	REEL
	CBA SX FL90	10÷20	1,5	M8	35	16	CuZn-Sn	1609800	900	BOX


MEGA




1



2




3




4

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	MEGA G90	10÷20	1,5	M8	24,9	16,9	Cu-Sn	1608180	2000	BOX
	MEGA G90	25÷35	1,5	M8	24,9	16,9	Cu-Sn	1608190	2000	BOX
2	MEGA	10÷20	1,2	M8	34	16,9	Cu-Sn	1708110	450	REEL
	MEGA	25÷35	1,2	M8	34	16,9	Cu-Sn	1708120	350	REEL
3	MEGA	25÷40	1,5	M8	41,4	16,9	Cu-Sn	1608196	1000	BOX
4	W84	10÷25	1,5	M8	38	17,8	CuZn-Sn	1608800	1400	BOX

MIDI







1




2


IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	MIDI	2,5÷4	0,8	M5	27,5	11,6	CuZn-Sn	1708240	4000	REEL
	MIDI	6÷8	0,8	M5	28,5	11,6	CuZn-Sn	1708245	3200	REEL
	MIDI	6÷8	0,8	M6	28,5	11,6	CuZn-Sn	1708246	3200	REEL
	MIDI POL. A	2,5÷4	0,8	M5	33,5	10	Cu-Sn	1705616	4000	REEL
	MIDI POL. A	6÷8	0,8	M5	33,2	10	Cu-Sn	1705715	4000	REEL
	MIDI POL. B	6÷8	0,8	M5	33,2	10	Cu-Sn	1705725	4000	REEL
2	MIDI POL. D	6÷8	0,8	M5	33,2	10	Cu-Sn	1705745	4000	REEL
	MIDI	10÷16	0,8	M5	30,5	11,6	CuZn-Sn	1708250	3200	REEL
	MIDI POL. C	10÷20	1,5	M5	33,25	10	Cu-Sn	1705835	1500	REEL



MIDI G90






1




2


IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	MIDI G90 UNI	2,5÷4	0,8	M5	16,1	10	Cu-Sn	1605600	2000	BOX
	MIDI G90 UNI	6÷8	0,8	M5	16,1	10	Cu-Sn	1605700	2000	BOX
	MIDI G90 POL.A	2,5÷4	0,8	M5	16,1	10	Cu-Sn	1605610	2000	BOX
	MIDI G90 POL.A	6÷8	0,8	M5	16,1	10	Cu-Sn	1605710	2000	BOX
	MIDI G90 POL.B	2,5÷4	0,8	M5	16,1	10	Cu-Sn	1605620	2000	BOX
	MIDI G90 POL.B	6÷8	0,8	M5	16,1	10	Cu-Sn	1605720	2000	BOX
	MIDI G90 POL.C	2,5÷4	0,8	M5	16,1	10	Cu-Sn	1605630	2000	BOX
	MIDI G90 POL.C	6÷8	0,8	M5	16,1	10	Cu-Sn	1605730	2000	BOX
2	MIDI G90 UNI	10÷16	1,5	M5	16,1	10	Cu-Sn	1605800	2000	BOX
	MIDI G90 UNI	25÷35	1,5	M5	16,1	10	Cu-Sn	1605900	2000	BOX
	MIDI G90 POL.A	10÷16	1,5	M5	16,1	10	Cu-Sn	1605810	2000	BOX
	MIDI G90 POL.A	25÷35	1,5	M5	16,1	10	Cu-Sn	1605910	2000	BOX
	MIDI G90 POL.B	10÷16	1,5	M5	16,1	10	Cu-Sn	1605820	2000	BOX
	MIDI G90 POL.B	25÷35	1,5	M5	16,1	10	Cu-Sn	1605920	2000	BOX
	MIDI G90 POL.C	10÷16	1,5	M5	16,1	10	Cu-Sn	1605830	2000	BOX
	MIDI G90 POL.C	25÷35	1,5	M5	16,1	10	Cu-Sn	1605930	2000	BOX



REVERSIBLE




1




2

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	RVS A	2,5÷4	0,8	M6	42	14	Cu-Sn	1706900	3000	REEL
	RVS A	6÷8	1,0	M6	42	14	Cu-Sn	1706910	2800	REEL
	RVS A	10÷16	1,2	M6	42	14	Cu-Sn	1706920	1800	REEL
2	RVS B	2,5÷4	0,8	M6	40	14	Cu-Sn	1706930	4400	REEL
	RVS B	6÷8	1,0	M6	40	14	Cu-Sn	1706940	3000	REEL


SQUARE




1



2




3




4

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	SQR A	10÷20	1,2	M6	35,2	16	CuZn-Sn	1706970	2400	REEL
	SQR A	25÷35	1,2	M6	35,2	16	CuZn-Sn	1706980	2000	REEL
	SQR A	25÷40	1,5	M6	35,5	16	Cu-Sn	1606981	1800	BOX
	SQR A	10÷20	1,2	M8	35,2	16	CuZn-Sn	1706950	2400	REEL
	SQR A	25÷35	1,2	M8	35,2	16	CuZn-Sn	1706960	2000	REEL
	SQR A	25÷40	1,5	M8	35,5	16	CuZn-Sn	1606990	2000	BOX
2	SQR A G40	25÷40	1,2	M6	38,7	16	CuZn-Sn	1606982	2000	BOX
3	SQR B	10÷20	1,5	M10	45	19	CuZn-Sn	1708220	1000	REEL
	SQR B	25÷35	1,5	M10	45	19	CuZn-Sn	1708200	1200	REEL
4	SQR G30	6÷8	1,5	M6	37,6	14	CuZn-Sn	1608340	3000	BOX
	SQR G30	6÷8	1,5	M6	37,6	14	CuZn-Sn	1708340	2400	REEL
	SQR G30	10÷20	1,5	M6	37,6	14	CuZn-Sn	1608345	3000	BOX
	SQR G30	10÷20	1,5	M6	37,6	14	CuZn-Sn	1708345	2000	REEL


SQUARE



1




2




3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	SQR C DX	10÷20	1,5	M10	45	20	CuZn-Sn	1708185	1000	REEL
	SQR C DX	25÷40	1,5	M10	45	20	CuZn-Sn	1708260	1000	REEL
2	SQR C SX	10÷20	1,5	M10	45	20	CuZn-Sn	1708195	1000	REEL
	SQR C SX	25÷40	1,5	M10	45	20	CuZn-Sn	1708270	1000	REEL
3	SQR C MY03	10÷20	1,5	M6	39,1	16	CuZn-Sn	1706975	1800	REEL
	SQR C MY03	25÷40	1,5	M6	39,1	16	CuZn-Sn	1706977	1500	REEL


SMT




1




2



3




4




5

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	SMT - A	6÷8	1	M6	39,2	14	CuZn-Sn	1706880	2100	REEL
	SMT - A	10÷16	1,2	M6	39,4	14	CuZn-Sn	1706890	1800	REEL
	SMT - A	10÷16	1,2	M6	39,4	14	CuZn-Sn	1606890	2000	BOX
2	SMT - B	2,5÷4	0,8	M6	40,3	13	CuZn-Sn	1706600	6000	REEL
	SMT - B	2,5÷4	0,8	M6	40,3	13	CuZn-Sn	1606600	2000	BOX
3	SMT B G90	2,5÷4	0,8	M6	24,2	13	CuZn-Sn	1606790	2000	BOX
4	STM C	50÷70	1,5	M6	55,2	16	CuZn-Sn	1606796	1000	BOX
5	SMT C G90	6÷8	1,2	M6	33	16	CuZn-Sn	1606775	500	BOX
	SMT C G90	10÷20	1,2	M6	33	16	CuZn-Sn	1606770	2000	BOX
	SMT C G90	25÷40	1,2	M6	33	16	CuZn-Sn	1606500	2000	BOX
	SMT C G90	10÷20	1,2	M8	32,8	16	CuZn-Sn	1606780	2000	BOX
	SMT C G90	25÷40	1,2	M8	32,8	16	CuZn-Sn	1606785	2000	BOX
	SMT C G90	50÷70	1,2	M8	35,6	16	CuZn-Sn	1606795	1000	BOX

SPECIAL TYPES




1




2

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	FDU G90	25÷40	1,5	M8	23,3	17	CuZn-Sn	1608380	1500	BOX
2	PTC G90	2,5÷4	0,8	M8	22,4	14	Cu-Sn	1608500	2000	BOX


SPECIAL TYPES



1




2




3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	L ₂ mm	MATERIAL	P/N	M.O.Q.	PACK
1	NUT G90 SH	2,5 - 5	1,2	M5	20,5	12,4	16	CuZn-Sn	1608420	1500	BOX
2	NUT G90	2,5 - 5	1,0	M5	16,5	12	16	CuZn-Sn	1608400	3000	BOX
3	X70 FL90	4 - 7	1,0	M5	26,5	12	25,5	CuZn-Sn	1608415	3000	BOX


SPECIAL TYPES



1




2




3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	STARTER L41	10÷20	1,5	M8	41,5	17,4	CuZn-Sn	1708360	1500	REEL
	STARTER L41	25÷40	1,5	M8	41,5	17,4	CuZn-Sn	1708370	1200	REEL
2	SEL 30	2,5÷5	0,8	M6	39	12	CuZn-Sn	1708350	1500	REEL
3	HND TW G90	8÷15	1	M5	32,7	12	CuZn-Sn	1607300	3000	BOX


SPECIAL TYPES



1




2



3


IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	L ₂ mm	MATERIAL	P/N	M.O.Q.	PACK
1	ND TW90	25 - 40	1,5	M8	18	22	38	CuZn-Sn	1609100	1000	BOX
2	FLANGE TW90	10 - 20	1,5	M8	27	16	37	CuZn-Sn	1608600	1500	BOX
	FLANGE TW90	25 - 35	1,5	M8	27	16	37	CuZn-Sn	1608700	1500	BOX
3	D21	70 - 95	2,3	M8	47	21	51,4	CuZn-Sn	1609900	250	BOX
	D21	16 - 41	2	M8	42	21	51,4	CuZn-Sn	1609910	450	BOX

SPECIAL TYPES




IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	SCREW	L mm	L ₁ mm	L ₂ mm	MATERIAL	P/N	M.O.Q.	PACK
1	W84 G90	25 - 41	1,5	M8	33,5	17,8	40,8	CuZn-Sn	1609400	400	BOX
2	SLOT G90	25 - 40	1,8	M8	84,3	18	78,3	CuZn-Sn	1609500	300	BOX
3	W84 TW90	10 - 25	1,5	M8	32,8	17,8	38	Cu-Sn	1608911	800	BOX
4	W61 FLAG5	25 - 50	1,8	M8	76,9	16	40,8	CuZn-Sn	1609600	500	BOX
5	CBA J81 FL90	10 - 20	1,5	M8	39	16	66,2	Cu-Sn	1609200	500	BOX


MAXI 800



1




2



3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	F800	1,5÷2,5	0,5	35	10,3	CuZn-Sn	1707650	6000	REEL
	F800	4÷6	0,5	35	10,3	CuZn-Sn	1707660	6000	REEL
	F800	8÷10	0,5	35	10,3	CuZn-Sn	1707670	3900	REEL
	F800	8÷10	0,5	35	10,3	CuNi-Sn	1707672	3900	REEL
	F800	16	0,5	35	10,3	CuNi-Sn	1707671	3900	REEL
2	M800	2,5÷4	0,8	40,4	8	Cu-Sn	1707675	4000	REEL
	M800	6÷8	0,8	40,4	8	Cu-Sn	1707685	3200	REEL
	M800	10÷16	0,8	40,4	8	Cu-Sn	1707690	2600	REEL
3	WP M800	2,5÷4	0,8	40,4	8	Cu-Sn	1707700	4000	REEL
	WP M800	6÷8	0,8	40,4	8	Cu-Sn	1707710	3200	REEL
	WP M800	10÷16	0,8	40,4	8	Cu-Sn	1707720	2800	REEL


POWER 950




1

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	F950	2,5÷4	0,6	29,3	11,6	Cu-Sn	1707740	4000	REEL
	F950	6÷8	0,6	29,3	11,6	Cu-Sn	1707741	3200	REEL
	F950	10÷16	0,6	29,3	11,6	Cu-Sn	1707742	2600	REEL

MAXI 800 WP



1



2







3




4


IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	WP M800	2,5 - 4	0,8	44,2	8	Cu-Sn	1707760	1950	REEL
	WP M800	6 - 8	0,8	44,2	8	Cu-Sn	1707770	1950	REEL
	WP M800	10 - 16	0,8	44,2	8	Cu-Sn	1707780	1950	REEL
2	WP F800	1,5 - 2,5	0,5	35,7	10,3	Cu-Sn	1707400	3900	REEL
	WP F800	3 - 6	0,5	35,7	10,3	Cu-Sn	1707410	3900	REEL
	WP F800	7 - 10	0,5	35,7	10,3	Cu-Sn	1707420	3900	REEL

IMG	DESCRIPTION	WIRE DIAMETER mm ²	MATERIAL	COLOUR	P/N	M.O.Q.
3	GASKET	1,9 - 3,3	SILICON		4550780	5000
	GASKET	3,4 - 4,9	SILICON		4550781	5000
	GASKET	5 - 6,5	SILICON		4550782	5000
4	CAVITY PLUG	-	SILICON		4550784	5000

MINI 280




1



2


IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	MINI F280	0,35÷0,75	0,30	19,8	4,3	CuFe-Sn	1708330	3000	REEL
	MINI F280	1÷2	0,30	19,8	4,3	CuFe-Sn	1708331	3000	REEL
	MINI F280	2,5÷4	0,30	19,8	4,3	CuFe-Sn	1708332	3000	REEL
2	MINI F280 BUS BAR	1÷2	0,30	19,8	27,5	CuFe-Sn	1708335	5000	REEL
	MINI F280 BUS BAR	2,5÷4	0,30	19,8	27,5	CuFe-Sn	1708336	5000	REEL

UNI 630




IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	UNI F630 WITH CLIP	0,5÷1,5	0,4	20,9	9,4	CuSn-Sn	1707920	14000	REEL
	UNI F630 WITH CLIP	2÷3	0,4	20,9	9,4	CuSn-Sn	1707930	14000	REEL
	UNI F630 WITH CLIP	4÷6	0,4	20,9	9,4	CuNi-Sn	1707940	12600	REEL
2	UNI F630 BUS BAR C/CLIP	2÷3	0,4	29,9	10	CuSn-Sn	1707932	3000	REEL
	UNI F630 BUS BAR C/CLIP	4÷6	0,4	29,9	10	CuNi-Sn	1707942	3000	REEL
3	UNI F630	-	0,4	22,4	6,3	CuSn-Sn	1907501	5000	BOX
4	UNI F630	0,5÷1,5	0,4	20,9	9,4	CuSn-Sn	1707900	10000	REEL
	UNI F630	2÷3	0,4	20,9	9,4	CuSn-Sn	1707902	10000	REEL
	UNI F630	4÷6	0,4	20,9	9,4	CuSn-Sn	1707901	9000	REEL
5	UNI F630 BUS BAR	0,5÷1,5	0,4	29,9	10	CuSn-Sn	1707910	15000	REEL
	UNI F630 BUS BAR	2÷3	0,4	29,9	10	CuSn-Sn	1707912	15000	REEL
	UNI F630 BUS BAR	4÷6	0,4	29,9	10	CuSn-Sn	1707911	9000	REEL


FASTON



1




2




3

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	MATERIAL	P/N	M.O.Q.	PACK
1	FASTON F480	0,5-1	0,33	15	4,8	CuZn	1901391	10000	BOX
	FASTON F480	0,5-1	0,33	15	4,8	CuZn-Sn	1701391	10000	REEL
2	FASTON F630	0,3-0,8	0,40	19	6,3	CuZn	1901402	5000	BOX
	FASTON F630	0,3-0,8	0,40	19	6,3	CuZn	1401402	5000	REEL
	FASTON F630	1- 2,5	0,35	19	6,3	CuZn-Sn	1701655	5000	REEL
	FASTON F630	1-2,5	0,40	19	6,3	CuZn	1901400	5000	BOX
	FASTON F630	1-2,5	0,40	19	6,3	CuZn	1401400	5000	REEL
	FASTON F630	1-2,5	0,40	19	6,3	CuZn-Sn	1701400	5000	REEL
	FASTON F630	1-2,5	0,40	19	6,3	CuZn-Sn	1911400	5000	BOX
	FASTON F630	1-2,5	0,35	19,2	6,3	CuZn	1901650	5000	BOX
3	FASTON F630 WITH LOCKING NOTCH	1-2,5	0,35	19,2	6,3	CuZn-Sn	1701650	5000	REEL
	FASTON F630 WITH LOCKING NOTCH	1-2,5	0,35	19,2	6,3	CuZn-Sn	1911650	5000	BOX
	FASTON F630 WITH LOCKING NOTCH	2,5-6	0,35	19,2	6,3	CuZn-Sn	1701651	3000	REEL
	FASTON F630 WITH LOCKING NOTCH	2,5-6	0,35	19,2	6,3	CuZn-Sn	1701651	3000	REEL


IGNITION CABLES




1



2




3




4

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	∅	MATERIAL	P/N	M.O.Q.	PACK
1	PLUG TERMINAL WITH CLIP	7	0,5	24,7	10,5	6,2	St AISI 430	1400860	2000	REEL
2	PLUG TERMINAL WITH CLIP	7	0,5	10,5	10,5	6,2	St AISI 430	1400865	2000	REEL
3	PLUG TERMINAL WITH CLIP	7	0,5	10,5	10,5	6,2	St AISI 430	1400850	2000	REEL
4	PLUG TERMINAL 90° WITH CLIP	7	0,5	11,2	-	6,2	St AISI 430	1400862	4000	REEL


IGNITION CABLES




1




2



3



4



5

IMG	DESCRIPTION	WIRE SECTION mm ²	MATERIAL THICKNESS mm	L mm	L ₁ mm	φ	MATERIAL	P/N	M.O.Q.	PACK
1	COIL - DISTRIBUTOR TERMINAL 90°	7	0,5	30,5	15	8,3	CuZn 67	1400880	4000	REEL
2	COIL - DISTRIBUTOR TERMINAL	7	0,5	17,5	7,5	6,2	CuZn 67	1400910	2500	REEL
3	COIL - DISTRIBUTOR TERMINAL	7	0,5	25,5	14,5	6,5	CuZn 67	1400920	2500	REEL
4	COIL - DISTRIBUTOR TERMINAL	7	0,5	14	8		CuZn 67	1900830	5000	BOX
5	COIL - DISTRIBUTOR TERMINAL	7	0,5	14	8			1900831	5000	BOX